
MAX
OWNER OF TRADEMARK
MADE IN ITALY
Panaro
dron.am
Lato Apertura
Opening Side
MAX
PACKAGING


Customizations



CUSTOM FOAM INLAYS

Custom foam inlays using different foam types and cutting methods.

- *WATERJET*
- *CNC MILLING*
- *DIE CUTTING*





CUSTOM COLOURS

**minimum quantity*

INTERNAL R&D DEPT. TO DEVELOP YOUR PROJECTS









FOAM

(S) VERSION

Convoluted foam in the lid and cubed foam in the bottom.

(HDS) VERSION

Convoluted foam in the lid and HD cubed foam in the bottom.



SCREEN PRINTING & LABELING



MAX®



EKO Series



PROCASE Series



ADVANCED Series



CLASSIC Series



K Series



Boxes and Blisters

LEGEND

Internal dimensions

Lid-bottom depth

Weight

Colours

Foam

Panaro
PACKAGING

MAX®

Max Cases are our watertight line, which was created to offer superior protection from the elements, water, dust and impacts when transporting fragile and valuable objects. IP67 rated, ATA 300 cat.1 certificated and military tested according to STANAG 4280 and DEF STAN 81-41 make these cases suitable for a wide range of applications such as marine, photography & broadcasting, scuba diving, outdoor sports, medical, military, special corps and even the manufacturing industry.

DUST PROOF

SHOCK PROOF

WATER PROOF

VIBRATION TEST

TEMPERATURE
TEST (+90°C -30°C)

AIR CARRIAGE




MAX
MAX
SCAN TO FOLLOW
MAXCASESOFFICIAL



UN4H2

LIFETIME
LIMITED WARRANTY

MILSPECS
DEF STAN 81-41
STANAG 4280
MIL STD 810G

ATA300

IP67
RATING

1. Watertight seal around lid
2. Automatic pressure release valve
3. Easy to open double throw latches
4. Load tested soft grip handle
5. Holes for double padlocking
6. Holes for shoulder strap
7. Stackable interlocking system
8. Thick body material
9. Extra fixing points
10. Full length hinges
11. Nylon pins, corrosion free
12. Cubed foam in the bottom and convoluted foam in the lid (available as standard)*
13. Screen printing space on the lid
14. Rectangular resin label space on the lid

* Custom foam available upon request

ITEM	CERTIFICATES
MAX001	IP67
MAX002	IP67
MAX003	IP67
MAX004	IP67
MAX005	
MAX200	IP67, MILSPECS
MAX235H105	IP67, MILSPECS, ATA 300
MAX235H155	IP67, MILSPECS, ATA 300
MAX300	IP67, MILSPECS, ATA 300
MAX380H115	IP67, MILSPECS
MAX380H160	IP67, MILSPECS, ATA 300, UN4H2
MAX400	IP67, MILSPECS, ATA 300
MAX430	IP67, MILSPECS, ATA 300
MAX465H125	IP67, MILSPECS, ATA 300
MAX465H220	IP67, MILSPECS, ATA 300
MAX465H220 TR	IP67, MILSPECS, ATA 300
MAX505	IP67, MILSPECS, ATA 300
MAX505 TR	-
MAX505H280 / TR	IP67, MILSPECS, ATA 300
MAX520 / TR	IP67, MILSPECS, ATA 300
MAX540H190 / TR	IP67, MILSPECS, UN4H2
MAX540H245 / TR	IP67, MILSPECS, ATA 300
MAX615	IP67, MILSPECS
MAX615 TR	MILSPECS
MAX620H250 / TR	IP67, MILSPECS, ATA 300
MAX620H340 / TR	IP67, MILSPECS
MAX630	
MAX750H280	IP67, MILSPECS
MAX750H400	IP67, MILSPECS, ATA 300
MAX820	IP67, MILSPECS, ATA 300
MAX800	IP67, MILSPECS, ATA 300
MAX1090H280	
MAX1090H410	
MAX1090H510	
MAX1090H640	
MAX1100	IP67, MILSPECS, ATA 300
MAX1100H330	IP67, MILSPECS
MAX1350	IP67, MILSPECS

MAX® GRIP SERIES

Max Grip line, waterproof and dustproof utility box. They are IP67 certified and equiped with an automatic pressure release valve.
These boxes are suitable for any type of use or application, ensuring superior protection from impacts and elements. Available in different sizes and versions: empty and with compartments.



MAX001V - T

157 x 82 x H41 mm
6.18 x 3.22 x H1.61 in

12 + 29 mm
0.47 + 1.14 in

0,14 kg / *0.30 lb*

[S] Cubed foam

[GPB] Convoluted foam



MAX002V

212 x 140 x H47 mm
8.34 x 5.51 x H1.85 in

14 + 33 mm
0.55 + 1.33 in

0,27 kg / *0.59 lb*

[S] Cubed foam

[GPB] Convoluted foam



MAX003V

316 x 195 x H53 mm
12.44 x 7.67 x H2.08 in

16 + 37 mm
0.63 + 1.46 in

0,55 kg / *1.21 lb*

[S] Cubed foam

[GPB] Convoluted foam

Max Grip line, waterproof and dustproof utility box. They are IP67 certified and equiped with an automatic pressure release valve. These boxes are suitable for any type of use or application, ensuring superior protection from impacts and elements. Available in different sizes and versions: empty and with compartments.



MAX004V

316 x 195 x H81 mm
12.44 x 7.67 x H3.18 in

16 + 65 mm
0.63 + 2.55 in

0,58 kg / *1.27 lb*

●

[S] Cubed foam



MAX005

292 x 92 x H65 mm
11.46 x 3.62 x H2.56 in

13,5 + 51,5 mm
0.53 + 2.03 in

0,28 kg / *0.61 lb*

●

[S] Cubed foam



MAX200

200 x 125 x H90 mm / *7.87 x 4.92 x H3.54 in*

21,5 + 68,5 mm / *0.85 + 2.7 in*

0,56 kg / *1.21 lb*

[S] Cubed foam



MAX235H105 / MAX235H155

235 x 180 x H106 mm / *9.25 x 7.08 x H4.17 in*
235 x 180 x H156 mm / *9.25 x 7.08 x H6.14 in*

25 + 81 mm / *0.98 + 3.19 in*
25 + 131 mm / *0.98 + 5.16 in*

0,84 kg / *1.85 lb*
0,92 kg / *2.02 lb*

[S] Cubed foam



MAX300

300 x 225 x H132 mm
11.81 x 8.86 x H5.20 in

33 + 99 mm
1.30 + 3.90 in

1,62 kg / *3.57 lb*

[S] Cubed foam



MAX380H115 / MAX380H160

380 x 270 x H115 mm / *14.96 x 10.62 x H4.52 in*
380 x 270 x H160 mm / *14.96 x 10.62 x H6.29 in*

36 + 79 mm / *1.42 + 3.11 in*
36 + 124 mm / *1.42 + 4.90 in*

1,86 kg / *4.10 lb*
2,20 kg / *4.85 lb*

●

[S] Cubed foam



MAX400

400 x 230 x 260 mm
15.74 x 9.05 x 10.23 in

47,5 + 212,5 mm
1.87 + 8.36 in

2,44 kg / *5,37 lb*

●

[S] Cubed foam



MAX430

426 x 290 x H159 mm
16.77 x 11.42 x H6.26 in

45 + 114 mm
1.77 + 4.49 in

2,76 kg / *6.08 lb*

●●●

[S] Cubed foam



MAX465H125 / MAX465H220

(TR) : TROLLEY VERSION FOR H220

465 x 335 x H125 mm / *18.31 x 13.19 x H4.92 in*
465 x 335 x H220 mm / *18.31 x 13.19 x H8.66 in*

40 + 85 mm / *1.57 + 3.35 in*
40 + 180 mm / *1.57 + 7.09 in*

2,60 kg / *5.73 lb*
3,42 kg / *7.53 lb*

(TR) -
4,42 kg / *9.74 lb*

●

[S] Cubed foam



MAX505 / MAX505H280

(TR) : TROLLEY VERSION

500 x 350 x H194 mm / *19.69 x 13.78 x H7.64 in*
500 x 350 x H280 mm / *19.69 x 13.78 x H11 in*

58 + 136 mm/*2.28 + 5.36 in*
58 + 222 mm *2.28 + 8.74 in*

3,90 kg / *8.59 lb*
4,82 kg / *10.62 lb*

(TR) 5,00 kg / *11.02 lb*
5,84 kg / *12.87 lb*

MAX505 ● ● ● / MAX505 H280 ●

[S] Cubed foam



MAX520

(TR) : TROLLEY VERSION

520 x 290 x H200 mm
20.47 x 11.42 x H7.87 in

45 + 155 mm
1.77 + 6.10 in

3,60 kg / *7.93 lb*

(TR) 5,10 kg / *11.24 lb*

●

[S] Cubed foam



MAX540H190 / MAX540H245

(TR) : TROLLEY VERSION

538 x 405 x H190 mm / *21.18 x 15.94 x H7.48 in*
538 x 405 x H245 mm / *21.18 x 15.94 x H9.64 in*

50 + 140 mm / *1.97 + 5.51 in*
50 + 195 mm / *1.97 + 7.68 in*

4,76 kg / *10.49 lb*
5,30 kg / *11.68 lb*

(TR) 6,40 kg / *14.10 lb*
6,90 kg / *15.21 lb*

●

[S] Cubed foam



MAX615

(TR) : TROLLEY VERSION

615 x 615 x 360 mm / *24.21 x 24.21 x 14.17 in*

60 + 300 mm / *2.36 + 11.81 in*

11,00 kg / *24.25 lb*

(TR) 12,90 kg / *28.43 lb*

●

[S] Cubed foam



MAX620H250 / MAX620H340

(TR) : TROLLEY VERSION

620 x 460 x 250 mm / *24.40 x 18.11 x 9.84 in*
620 x 460 x 340 mm / *24.41 x 18.11 x 13.38 in*


60 + 190 mm / *2.36 + 7.48 in*
60 + 280 mm / *2.36 + 11.02 in*

6,80 kg / *14.99 lb*
7,80 kg / *17.91 lb*

(TR) 8,44 kg / *18.60 lb*
9,40 kg / *20.72 lb*

●

[S] Cubed foam



NEW SIZE COMING SOON

MAX630

630 x 335 x H335 mm
27.8 x 13.19 x H13.2 in

80 + 255 mm
3.15 + 10.04 in

+/- 8 kg
+/- 17.36 lb

●

[S] Cubed foam

Available 1st Quarter of 2025

MAX615 - MAX750 H280
MAX750 H400 - MAX820

Wheels with stainless steel pin



MAX750H280
MAX750H400

750 x 480 x H280 mm / *29.52 x 18.90 x H11 in*
750 x 480 x H400 mm / *29.52 x 18.90 x H15.75 in*

60 + 220 mm / *2.36 + 8.66 in*
60 + 340 mm / *2.36 + 13.38 in*

9,30 kg / *20.50 lb*
10,56 kg / *23.28 lb*

●

[S] Cubed foam

New revolving lock



MAX800

800 x 370 x H140 mm
31,49 x 14.57 x H5.51 in

45 + 95 mm
1.77 + 3.74 in

5,00 kg / *11.02 lb*

●

[S] Cubed foam

[GPB] Convoluted foam

MAX615 - MAX750 H280 - MAX750 H400 - MAX820

Side handles + large fold down handle



MAX820

820 x 600 x H450 mm
32.28 x 23.62 x H17.71 in

70 + 380 mm
2.75 + 14.96 in

14,78 kg / *32.58 lb*

●

[S] Cubed foam



MAX1100
MAX1100H330

1100 x 370 x H140 mm * / *43.30 x 14.57 x H5.51 in*
1100 x 370 x H330 mm / *43.30 x 14.57 x H12.9 in*

45 + 95 mm / *1.77 + 3.74 in*
45 + 285 mm / *1.77 + 11.22 in*

7,80 kg / *17.19 lb*
10,90 kg / *24.03 lb*

●

[S] Cubed foam

*[GPB] Convoluted foam



MAX1350

1350 x 370 x 150 mm
53.14 x 14.56 x H5.90 in


45 + 105 mm
1.77 + 4.13 in

8,30 kg / *18.29 lb*

●

[S] Cubed foam

[GPB] Convoluted foam



MAX1090H280
MAX1090H410


NEW SIZE COMING SOON

1090 x 680 x H280 mm / *42.91 x 26.77 x H11.02 in*
1090 x 680 x H410 mm / *42.91 x 26.77 x H14.14 in*

70 + 210 mm / *2.75 + 8.26 in*
200 + 210 mm / *7.67 + 8.26 in*

+/- 22 kg / *+/- 48.50 lb*
+/- 24 kg / *+/- 52.90 lb*

Available 2nd Quarter of 2025



MAX1090H510
MAX1090H640

NEW SIZE COMING SOON

1090 x 680 x H510 mm / *42.91 x 26.77 x H20.07 in*
1090 x 680 x H640 mm / *42.91 x 26.77 x H25.19 in*

70 + 440 mm / *2.75 + 17.32 in*
200 + 440 mm / *7.67 + 17.32 in*

+/- 27 kg / *+/- 59.52 lb*
+/- 29 kg / *+/- 63.93 lb*

Available 2nd Quarter of 2025



Item	External dimensions	Internal dimensions	Lid	Bottom	Weight	TROLLEY TR Version	Weight [S]	Capacity	TC	CAM	ORG	DOC	PAN	TRA	MP	Colours
									TOOL STORAGE SYSTEM	PADDED DIVIDERS	LID ORGANIZER	DOCUMENT POUCH	PANELS	PADDED SHOULDER STRAP	MAXPACK - **TR** VERSION	
MAX001	175 x 115 x H47 mm *6.88 x 4.52 x H1.85 in*	157 x 82 x H41 mm *6.18 x 3.22 x H1.61 in*	12 mm *0.47 in*	29 mm *1.14 in*	0,14 kg	-	0,17 kg	0,527 lt								
MAX002	230 x 175 x H53 mm *9.05 x 6.88 x H2.08 in*	212 x 140 x H47 mm *8.34 x 5.51 x H1.85 in*	14 mm *0.55 in*	33 mm *1.33 in*	0,27 kg	-	0,29 kg	1,39 lt								
MAX003	350 x 230 x H59 mm *13.77 x 9.05 x H2.32 in*	316 x 195 x H53 mm *12.44 x 7.67 x H2.08 in*	16 mm *0.63 in*	37 mm *1.46 in*	0,55 kg	-	0,61 kg	3,26 lt								
MAX004	350 x 230 x H86 mm *13.77 x 9.05 x H3.38 in*	316 x 195 x H81 mm *12.44 x 7.67 x H3.18 in*	16 mm *0.63 in*	65 mm *2.55 in*	0,58 kg	-	0,66 kg	4,99 lt								
MAX005	309 x 128 x H71,5 mm *12.18 x 5.04 x H2.81 in*	292 x 92 x H65 mm *11.46 x 3.62 x H2.56 in*	13,5 mm *0.53 in*	51,5 mm *2.03 in*	0,28 kg	-	0,30 kg	1,6 lt								
MAX200	223 x 172 x H102 mm *8.78 x 6.76 x H4.02 in*	200 x 125 x H90 mm *7.87 x 4.92 x H3.54 in*	21,5 mm *0.85 in*	68,5 mm *2.7 in*	0,56 kg	-	0,60 kg	2.1 lt								
MAX235H105	258 x 243 x H117,5 mm *10.16 x 9.56 xH 4.62 in*	235 x 180 x H106 mm *9.25 x 7.08 x H4.17 in*	25 mm *0.98 in*	81 mm *3.19 in*	0,84 kg	-	0,92 kg	4,48 lt								
MAX235H155	258 x 243 x H167.5 mm *10.16 x 9.56 x H6.59 in*	235 x 180 x H156 mm *9.25 x 7.08 x H6.14 in*	25 mm *0.98 in*	131 mm *5.16 in*	1,00 kg	-	1,10 kg	6,60 lt								
MAX300	336 x 300 x H148 mm *13.23 x 11.81 x H5.83 in*	300 x 225 x H132 mm *11.81 x 8.86 x H5.20 in*	33 mm *1.30 in*	99 mm *3.90 in*	1,62 kg	-	1,76 kg	8,91 lt		•		•	•			
MAX380H115	414 x 345 x H129 mm *16.30 x 13.58 x H5.08 in*	380 x 270 x H115 mm *14.96 x 10.62 x H4.52 in*	36 mm *1.42 in*	79 mm *3.11 in*	1,86 kg	-	2,04 kg	11,8 lt			•			•		
MAX380H160	414 x 345 x H174 mm *16.29 x 13.58 x H6.85 in*	380 x 270 x H160 mm *14.96 x 10.62 x H6.29 in*	36 mm *1.42 in*	124 mm *4.90 in*	2,20 kg	-	2,45 kg	16,4 lt		•	•			•		
MAX400	456 x 290 x H318 mm *17.95 x 11.41 x H12.51 in*	400 x 230 x H260 mm *15.74 x 9.05 x H10.23 in*	47,5 mm *1.87 in*	212,5 mm *8.36 in*	2,44 kg	-	2,84 kg	22 lt						•		

Item	External dimensions	Internal dimensions	Lid	Bottom	Weight	TROLLEY TR Version	TROLLEY Weight [S]	Capacity	TC	CAM	ORG	DOC	PAN	TRA	MP	Colours
MAX430	464 x 366 x H176 mm *18.27 x 14.41 x H6.93 in*	426 x 290 x H159 mm *16.77 x 11.42 x H6.26 in*	45 mm *1.77 in*	114 mm *4.49 in*	2,76 kg	-	3,06 kg	19,64 lt	•	•	•	•	•	•		● ● ●
MAX465H125	502 x 415 x H141 mm *19.76 x 16.34 x H5.55 in*	465 x 335 x H125 mm *18.31 x 13.19 x H4.92 in*	40 mm *1.57 in*	85 mm *3.35 in*	2,60 kg	-	2,92 kg	19,47 lt			•	•	•	•		●
MAX465H220	502 x 415 x H246 mm *19.76 x 16.34 x H9.69 in*	465 x 335 x H220mm *18.31 x 13.19 x H8.66 in*	40 mm *1.57 in*	180 mm *7.09 in*	3,42 kg	4,42 kg	3,96/5,00 kg	34,27 lt			•	•	•	•		●
MAX505	555 x 428 x H211 mm *21.85 x 16.85 x H8.31 in*	500 x 350 x H194 mm *19.69 x 13.78 x H7.64 in*	58 mm *2.28 in*	136 mm *5.36 in*	3,90 kg	5,00 kg	4,38/5,50 kg	33,95 lt	•	•	•	•	•	•		● ● ●
MAX505H280	555 x 428 x H306 mm *21.85 x 16.85 x H12.04 in*	500 x 350 x H280 mm *19.69 x 13.78 x H11 in*	58 mm *2.28 in*	222 mm *8.74 in*	4,82 kg	5,84 kg	5,60/6,62 kg	49 lt			•	•	•	•		●
MAX520	574 x 361 x H225 mm *22.60 x 14.21 x H8.86 in*	520 x 290 x H200 mm *20.47 x 11.42 x H7.87 in*	45 mm *1.77 in*	155 mm *6.10 in*	3,60 kg	5,10 kg	4,10/5,60 kg	30,16 lt	•	•	•				•	●
MAX540H190	594 x 473 x H215 mm *23.39 x 18.62 x H8.46 in*	538 x 405 x H190 mm *21.18 x 15.94 x H7.48 in*	50 mm *1.97 in*	140 mm *5.51 in*	4,76 kg	6,40 kg	5,28/6,94 kg	41,40 lt			•				•	●
MAX540H245	594 x 473 x H270 mm *23.39 x 18.62 x H10.63 in*	538 x 405 xH245 mm *21.18 x 15.94 x H9.64 in*	50 mm *1.97 in*	195 mm *7.68 in*	5,30 kg	6,90 kg	6,20/7,80 kg	53,38 lt		•	•				•	●
MAX615	680 x 675 x H393 mm *26.77 x 26.57 x 14.17 in*	615 x 615 x 360 mm *24.21 x 24.21 x 14.17 in*	60 mm *2.36 in*	300 mm *11.81 in*	11,00 kg	12,62 kg	13,40/15 kg	135 lt								●
MAX620H250	687 x 528 x H276 mm *27.05 x 20.79 x H10.86 in*	620 x 460 x H250 mm *24.40 x 18.11 x H9.84 in*	60 mm *2.36 in*	190 mm *7.48 in*	6,80 kg	8,44 kg	8,00/9,62 kg	71,30 lt								●
MAX620H340	687 x 528 x H366 mm *27.05 x 20.79 x H14.41 in*	620 x 460 x H340 mm *24.41 x 18.11 x H13.38 in*	60 mm *2.36 in*	280 mm *11.02 in*	7,80 kg	9,40 kg	9,40/11 kg	96,96 lt								●
MAX630	702 x 406 x H360 mm *27.63 x 16 x H14.15 in*	630 x 335 x H335 mm *24.8 x 13.19 x H13.19 in*	80 mm *3.14 in*	255 mm *10.04 in*		-		68 lt								●

Item	External dimensions	Internal dimensions	Lid	Bottom	Weight	TROLLEY TR Version	Weight [S]	Capacity	TC	CAM	ORG	DOC	PAN	TRA	MP	Colours
MAX750H280	816 x 540 x H306 mm *32.12 x 21.26 x H12.04 in*	750 x 480 x H280 mm *29.52 x 18.90 x H11 in*	60 mm *2.36 in*	220 mm *8.66 in*	9,30 kg	-	11,40 kg	100,80 lt								●
MAX750H400	816 x 540 x H426 mm *32.12 x 21.26 x H16.77 in*	750 x 480 x H400 mm *29.52 x 18.90 x H15.75 in*	60 mm *2.36 in*	340 mm *13.38 in*	10,56 kg	-	13,10 kg	144 lt								●
MAX800	850 x 440 x H158 mm *33.46 x 17.32 x H6.22 in*	800 x 370 x H140 mm *31.49 x 14.57 x H5.51 in*	45 mm *1.77 in*	95 mm *3.74 in*	5,00 kg	-	5,74 kg	41,44 lt								●
MAX820	880 x 660 x H483 mm *34.64 x 25.98 x H19.01 in*	820 x 600 x H450 mm *32.28 x 23.62 x H17.71 in*	70 mm *2.75 in*	380 mm *14.96 in*	14,78 kg	-	18,42 kg	220 lt								●
MAX1090H280	1178 x 780 x H330 mm *46.38 x 30.70 x H13 in*	1090 x 680 x H280 mm *42.91 x 26.77 x H11.02 in*	70 mm *2.75 in*	210 mm *8.26 in*		-	-	215 lt								●
MAX1090H410	1178 x 780 x H447 mm *46.38 x 30.70 x H17.60 in*	1090 x 680 x H410 mm *42.91 x 26.77 x H14.14 in*	200 mm *7.67 in*	210 mm *8.26 in*		-	-	300 lt								●
MAX1090H510	1178 x 780 x H564 mm *46.38 x 30.70 x H22.99 in*	1090 x 680 x H510 mm *42.91 x 26.77 x H20.07 in*	70 mm *2.75 in*	440 mm *17.32 in*		-	-	395 lt								●
MAX1090H640	1178 x 780 x H702 mm *46.38 x 30.70 x H27.63 in*	1090 x 680 x H640 mm *42.91 x 26.77 x H25.19 in*	200 mm *7.67 in*	440 mm *17.32 in*		-	-	480 lt								●
MAX1100	1177 x 451 x H158 mm *46.34 x 17.75 x H6.22 in*	1100 x 370 x H140 mm *43.30 x14.57 x H5.51 in*	45 mm *1.77 in*	95 mm *3.74 in*	7,80 kg	-	8,82 kg	56,98 lt								●
MAX1100H330	1177 x 451 x H348 mm *46.34 x 17.75 x H13.7 in*	1100 x 370 x H330 mm *43.30 x14.57 x H12.9 in*	45 mm *1.77 in*	285 mm *11.22 in*	10,90 kg	-	13,20 kg	130 lt								●
MAX1350	1420 x 440 x 168 mm *55.90 x 17.32 x H6.61 in*	1350 x 370 x 150 mm *53.14 x 14.56 x H5.90 in*	45 mm *1.77 in*	105 mm *4.13 in*	8,30 kg	-	9,60 kg	75 lt								●

Accessories and customizations

S :

Cubed foams

Available from stock across the MAX range

GPB : CONVOLUTED FOAM





Panels



Lid organizer

CAM

Available on:

- MAX300
- MAX380H160
- MAX430
- MAX505
- MAX520
- MAX540H245



Convoluted foam

CAMORG

Available on:

- MAX380H160
- MAX430
- MAX505
- MAX520
- MAX540H245



Lid organizer



Handles Colored



Custom foam inlay

TR

Extendable handle available on:


Extendable handle



- MAX520
- MAX540H245
- MAX615
- MAX620 H250 / H340
- MAX750 H 280 / H400



- MAX465H220
- MAX505 / H280



Padded dividers



Document Pouch



Tool storage system



TRAMAX

Padded shoulder strap



MAXPACK

Backpack

dron | INDUSTRIAL DRONE OPERATOR

www.dron.am

info@dron.am

+374 33 003766

6/14 Yerevan-Garni hwy, Jrvezh, 2227
Kotayk, Republic of Armenia

